

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office NOV 16 2005

Returned to applicant for correction _____

Corrected application filed _____

Map filed OCT 22 1990 under 55392

The applicant **Keith Clegg** hereby make application for permission to appropriate the public waters of the State of Nevada, as hereinafter stated.

1. The source of the proposed appropriation is **an underground source**
2. The amount of water applied for is **0.046** second-feet
 - (a) If stored in reservoir give number of acre-feet **N/A**
3. The water to be used for **Quasi-Municipal Purposes**
4. If use is for:
 - (a) Irrigation, state number of acres to be irrigated **N/A**
 - (b) Stockwater, state number and kinds of animals to be watered **N/A**
 - (c) Other use (describe fully under No. 12. "Remarks") **See item 12**
 - (d) Power:
 - (1) Horsepower developed **N/A**
 - (2) Point of return of water to stream **N/A**
5. The water is to be diverted from its source at the following point **NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 5, T20S R60E MDB&M, or at a point from which the center $\frac{1}{4}$ (C $\frac{1}{4}$) corner of Section 5, T20S, R60E, MDB&M, bears North 37° 16' 46" West a distance of 1422.00 feet. Please use map filed Permit 55392**
6. Place of Use **SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 5, T20S, R60E, MDB&M, Clark County, Nevada. Please use map filed under cancelled Permit Number 55392**
7. Use will begin about **Jan 1st** and end about **Dec 31st** of each year.
8. Description of proposed works **Existing 8" steel cased well with 5hp pump, wiring, storage tank, booster pump meter and appurtenances**
9. Estimated cost of works - **Existing – (22K)**
10. Estimated time required to construct works **Existing as above**
11. Estimated time required to complete the application of water to beneficial use **6 months**

12. Remarks: Well serves 3 houses now, 1 with water rights and the two on this permit

By Keith Clegg
s/K Clegg
8780 La Sundora Circle
LV NV 89129

Compared sg/mt _____ lt/gkl _____

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights and is further subject to revocation if and when water can be furnished by an entity such as a water district or a municipality engaged in furnishing water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. It is understood that this right must allow for a reasonable lowering of the static water level. The well shall be equipped with a 2-inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 68152 and 73489 shall not exceed 1.06 million gallons annually.

Permit is granted to provide water service to two lots described as Clark County Assessor's Parcel Numbers (APN) 138-05-701-048 and 138-05-701-049.

This permit is issued subject to the State Engineer's Amended Order 1054 dated April 15, 1992.

(CONTINUED ON PAGE 3)

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.023 cubic feet per second, and not to exceed 0.73 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

N/A

Proof of completion of work shall be filed on or before:

N/A

Water must be placed to beneficial use on or before:

August 10, 2007

Proof of the application of water to beneficial use shall be filed on or before:

September 10, 2007

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, TRACY TAYLOR, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 11th day of July, A.D. 2006


State Engineer

Completion of work filed filed September 25, 2003 under 68152

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____